CARBOHYDRATE RESEARCH, VOL. 177 (1988)

AUTHOR INDEX

ADACHI, Y., 91
AHMED, H., 173
AHRENS, R., 273
ANNISON, G., 278
ARAI, T., 69
ARAI, Y., 153, 163
ATOPKINA, L. N., 101

BABA, T., 153, 163
BARILI, P. L., 29
BARON, M., 235
BECK, J., 240
BORATYNSKI, J., c5
BRENNAN, P. J., 185
BUCHANAN, C. M., 228

CATELANI, G., 29
CERRINI, S., 29
CHATTERJEE, B. P., 173
COLONNA, F., 29
CONCHIE, J., 127
CUNNINGHAM, D., 1

D'AMBRA, A. J., 111
DASGUPTA, F., c13
DATTA, S. N., 43
DENGLER, T., 273
DENISENKO, V. A., 101
DUTTON, G. G. S., 278

EKLUND, S. H., 253
ELYAKOV, G. B., 101

FUJISHIMA, Y., 51
FUJITA, M., 51
FUJITA, T., 213

GAMIAN, A., c5
GAREGG, P. J., c13
GAVIN, N., 1
GAYLORD, H., 185
GERVAIS, S., c5
GORIN, P. A. J., 235
GOTTLIEB, H. E., 21
GOWDA, D. C., 117
GRAY, G. R., 111
GROCHOWSKI, E., 244
GRUBER, P. R., 111

HALE, K. J., 259
HASEGAWA, A., 51
HASHIMOTO, H., c9
HAY, A. J., 127
HÉNICHART, J.-P., 81
HERNÁNDEZ-BARRANCO, A., 265
HERZIG, J., 21
HIGGINS, T., 1
HIROTO, M., 163
HIRSCH, J., 43
HIRUMA, K., c9
HOUGH, L., 259
HYATT, J. A., 228

IACOMINI, M., 235

JANN, B., 273
JANN, K., 273
JURCZAK, J., 244

KENANI, A., 81
KISO, M., 51
KNOBLOCH, H., 43

LAFERRIÈRE, C. A., c1
LAMBA, D., 29
LAMBLIN, G., 81
LEAL, J. A., 265
LEDL, F., 240
LEE, C. K., 247
LEE, E., 1
LIPPMAA, E., 43
LOMAX, J. A., 127
LOWMAN, D. W., 228

MANDAL, P. K., 278
MARRA, A., 29
MCARDLE, P., 1
MCNEIL, M., 185
MINÁRIK, M., 43
MUKAI, Y., 69

NUDELMAN, A., 21

O'CALLAGHAN, J., 1
OGAWA, S., 199, 213
OGAWA, Y., 51
OHNO, N., 91
OIKAWA, S., 91
ORIHARA, M., 199
OXLEY, D., 285

Pehk, T., 43
Pihar, O., 43
Prieto, A., 265

Raju, T. S., 117
Rice, M. J., 111
Richardson, A. C., 259
Robyt, J. F., 253
Rosell, K.-G., 289
Roy, R., c1, c5
Rupérez, P., 265

Salański, P., 244
Sarathy, C., 117
Sato, K., 91
Sawada, M., 13
Schraml, J., 43
Semprevivo, L. H., 222
Severin, T., 240
Stepowska, H., 244
Suzuki, Y., 91

Tamura, J., c9
Tanahashi, M., 51
Tanaka, T., 13
Taniguchi, T., 13

Uchiyama, T., 13
Uemura, M., 213
Unger, F. M., 51
Uryu, T., 69
Uvarova, N. I., 101

Watanabe, K., 153, 163
Wilkinson, S. G., 285

Yadomae, T., 91
Yonezawa, N., 163
Yoshida, T., 69

Zeller, S. G., 111

CARBOHYDRATE RESEARCH, VOL. 177 (1988)

SUBJECT INDEX

Acetals, pyruvate, of hexopyranosides, a new and efficient synthesis of, c9

Acetates, of carbohydrates, a simple n.m.r. method for assigning the carbonyl resonances of, 228

Acetylated sugars and glycosides, methanolysis of, in the presence of tin oxides and alkoxides, 21

N-Acetylneuraminic acid, antigenic copolymers of, synthesis, c1

Agglutinin, purification, carbohydrate specificity, and characterisation of the combining site of *Wistaria sinensis*, 173

Alkyl sulfenyl triflate as activator in the thioglycoside-mediated formation of β-glycosidic linkages during oligosaccharide synthesis, c13

Amadori compounds, formation of 1-deoxy-D-*erythro*-2,3-hexodiulose from, 240

2-(4-Aminophenyl)ethylamine, preparation of derivatives of reducing oligosaccharides with, 222

Analysis of positions of substitution of *O*-methyl or *O*-ethyl groups in partially methylated or ethylated cellulose by the reductive-cleavage method, 111

Anticoagulant, synthesis of branched D-xylofuranan by selective ring-opening polymerization of silylated 1,5-anhydro-β-D-xylofuranose, and its conversion into blood, 69

Antigenic copolymers of *N*-acetylneuraminic acid, synthesis, c1

Avocado tree (*Persea americana* Mill), structural investigations on the mucilaginous polysaccharides isolated from bark of the, 117

Bleomycin-A_2, cleavage of D-mannosyl-L-gulose disaccharide from, 81

Bovine serum albumin conjugate, preparation and application of a pentamannosyl monophosphate, 163

Carbohydrates, synthesis of some novel group IVa organometallic derivatives of, 259

Cellulose, *O*-ethyl-, distribution of substituents in, 289

Cellulose, partially ethylated or methylated, analysis of positions of substitution of *O*-ethyl or *O*-methyl groups in, by the reductive-cleavage method, 111

Characterisation of galactofuranose-containing heteropolysaccharides from the cell walls of *Talaromyces helicus*, partial, 265

Chemoselective reduction of D-fructose in the presence of D-glucose, c5

Chlorodeoxy-L-idofuranoid derivatives, synthesis and reactions of, 247

Conformationally different (1→3)-β-D-glucans isolated from liquid-cultured mycelium of *Grifolia frondosa*, degradation with formic acid of, 91

Conjugates of biologically active lipid A-subunit analogs with 3-deoxy-D-*manno*-2-octulosonic acid (KDO) and its methyl ester, 51

Crystal structure of di-β-D-fructofuranose 2′,1:2,3-dianhydride, 13

Degradation with formic acid of conformationally different (1→3)-β-D-glucans isolated from liquid-cultured mycelium of *Grifola frondosa*, 91

1-Deoxy-D-*erythro*-2,3-hexodiulose from Amadori compounds, formation of, 240

Determinant of serovariant 14 of the *Mycobacterium avium* complex, *N*-formylkansosaminyl-(1→3)-2-*O*-methyl-D-rhamnopyranose: the type-specific, 185

Dianhydride, crystal structure of di-β-D-fructofuranose 2′,1:2,3′-, 13

5-*exo*-, 6-*exo*-Dihydroxy-*endo*- and -*exo*-7-oxabicyclo[2.2.1]heptane-2-carboxylic acids, synthesis of pseudo-sugar derivatives from, 213

Distribution of substituents in *O*-ethylcellulose, 289

2,3-Epoxide group, studies of the, as a donor group in lanthanide shift-reagent studies of carbohydrate systems, 1

Escherichia coli O25:K19:H12, structure of the capsular polysaccharide (K19 antigen) from uropathogenic, 273

Ethylamine, 2-(4-aminophenyl)-, preparation of derivatives of reducing oligosaccharides with, 222

Formation of 1-deoxy-D-*erythro*-2,3-hexodiulose from Amadori compounds, 240

N-Formylkansosaminyl-(1→3)-2-*O*-methyl-D-rhamnopyranose: The type-specific determinant of serovariant 14 of the *Mycobacterium avium* complex, 185

Fructofuranose 2′,1:2,3′-dianhydride, crystal structure of di-β-D-, 13

D-Fructose, chemoselective reduction of, in the presence of D-glucose, c5

Ginsenosides (glycosides from ginseng), semisynthetic analogues of, 101
(1→3)-β-Glucan, linear, isolation from the lichen *Stereocaulon ramulosum* (SW) Räusch and identification of, 235
β-D-Glucans isolated from liquid-cultured mycelium of *Grifola frondosa*, degradation with formic acid of conformationally different (1→3)-, 91
D-Glucansucrases, synthesis of 6-deoxy-6-fluorosucrose, and its inhibition of *Leuconostoc* and *Streptococcus*, 253
Glycosides from ginseng (ginsenosides), semisynthetic analogues of, 101
L-Gulose disaccharide, D-mannosyl-, cleavage from bleomycin-A_2 of, 81

Heteropolysaccharides from the cell walls of *Talaromyces helicus*, partial characterisation of galactofuranose-containing, 265
Hexopyranosides, pyruvate acetals of, a new and efficient synthesis of, C9
High-pressure approach to the synthesis of "C–O–N" analogues of nucleosides, 244

L-Idofuranoid derivatives, synthesis and reactions of chlorodeoxy-, 247
Isolation and characterization of the 36-kDa D-mannose 6-phosphate receptor from porcine testis, 153
Isolation and structure of a new oligosaccharide arising as a by-product during the preparation of commercial lactulose, 43
Isopropylidene derivatives of alkyl α- and β-D-galactopyranosides, synthesis of 2,3:4,6-di-*O*-,

Klebsiella K24, capsular polysaccharide, location of acetyl group, 278

Lactulose, isolation and structure of a new oligosaccharide arising as a by-product during the preparation of commercial, 43
Lanthanide shift-reagent studies of carbohydrate systems, the 2,3-epoxide as a donor group in, 1
Lichen *Stereocaulon ramulosum* (SW) Räusch, isolation and identification of a linear (1→3)-β-D-glucan from, 235
Lignin–carbohydrate complexes from sheep rumen fluid, composition and structural features of soluble, 127
Lipid A, subunit analogs, biologically active conjugates of, with 3-deoxy-D-*manno*-2-octulosonic acid and its methyl ester, 51
Lipopolysaccharide of the reference strain (C.D.C. 4523–60) for *Serratia marcescens* serogroup O15, structure of a neutral polymer isolated from the, 285

D-Mannose 6-phosphate receptor from porcine testis, isolation and characterization of the 36-kDa, 153
D-Mannosyl-L-gulose disaccharide, cleavage from bleomycin-A_2 of, 81
Methanolysis of acetylated sugars and glycosides in the presence of tin oxides and alkoxides, 21
Methyl 2,3-anhydro-4,6-*O*-benzylidene-β-D-mannopyranoside, the X-ray structure of, 1
Mycobacterium avium complex, *N*-formylkansosaminyl-(1→3)-2-*O*-methyl-D-rhamnopyranose: The type-specific determinant of serovariant 14 of the, 185

N.m.r. method, a simple, for assigning the carbonyl resonances of carbohydrate acetates, 228
Nucleosides, high-pressure approach to the synthesis of "C–O–N" analogues of, 244

2-Octulosonic acid, 3-deoxy-D-*manno*-, and its methyl ester, conjugates of, with biologically active lipid A-subunit analogs, 51
Oligosaccharide arising as a by-product during the preparation of commercial lactulose, isolation and structure of a new, 43
Oligosaccharide synthesis, alkyl sulfenyl triflate as activator in the thioglycoside-mediated formation of β-glycosidic linkages during, C13
Oligosaccharides, reducing, preparation with 2-(4-aminophenyl)ethylamine of derivatives of, 222
Organometallic derivatives of carbohydrates, synthesis of some novel group IVa, 259

Penta-*N,O*-acetyl-pseudo-2-amino-2-deoxy-DL-hexopyranoses, synthesis of seven, 199
Pentamannosyl monophosphate–bovine serum albumin conjugate, preparation and application of a, 163
Polysaccharide (K19 antigen) from uropathogenic *Escherichia coli* O25:K19:H12, structure of the capsular, 273
Polysaccharide of *Klebsiella* K24, location of acetyl group, 278
Polysaccharides, mucilaginous, isolated from bark of the avocado tree (*Persea americana* Mill), structural, 117
Preparation and application of a pentamannosyl monophosphate–bovine serum albumin conjugate, 163
Pseudo-2-amino-2-deoxy-DL-hexopyranoses, synthesis of seven penta-*N,O*-acetyl-, 199
Pseudo-sugar derivatives from 5*exo*, 6*exo*-dihydroxy-*endo*- and *exo*-7-oxabicyclo[2.2.1]heptane-2-carboxylic acids, synthesis of, 213
Purification, carbohydrate specificity, and characterisation of the combining site of *Wistaria sinensis* agglutinin, 173

Receptor from porcine testis, isolation and characterization of the 36-kDa D-mannose 6 phosphate, 153
Reductive-cleavage method, analysis of positions of substitution of *O*-methyl or *O*-ethyl groups in partially methylated or ethylated cellulose by the, 111
Rhamnopyranose: The type-specific determinant of serovariant 14 of the *Mycobacterium avium* complex, *N*-formylkansosaminyl-(1→3)-2-*O*-methyl-D-, 185

Semisynthetic analogues of ginsenosides (glycosides from ginseng), 101
Serratia marcescens serogroup O15, structure of a neutral polymer isolated from the lipopolysaccharide of the reference strain (C.D.C. 4523-60) for, 285
Sheep rumen fluid, composition and structural features of soluble lignin–carbohydrate complexes from, 127
Simple, n.m.r. method for assigning the carbonyl resonances of carbohydrate acetates, 228
Soluble lignin–carbohydrate complexes from sheep rumen fluid, composition and structural features of, 127
Stereocaulon ramulosum (SW) Räusch, lichen, isolation and identification of a linear (1→3)-β-D-glucan from, 235
Structural investigations on the mucilaginous polysaccharides isolated from bark of the avocado tree (*Persea americana* Mill), 117
Structure of a neutral polymer isolated from the lipopolysaccharide of the reference strain (C.D.C. 4523-60) for *Serratia marcescens* serogroup O15, 285
Structure of the capsular polysaccharide (K19 antigen) from uropathogenic *Escherichia coli* O25:K19:H12, 273
Sucrose, and its inhibition of *Leuconostoc* and *Streptococcus* D-glucansucrases, synthesis of 6-deoxy-6-fluoro-, 253
Synthesis, a new and efficient, of pyruvate acetals of hexopyranosides, c9
Synthesis and reactions of chlorodeoxy-L-idofuranoid derivatives, 247
Synthesis of branched D-xylofuranan by selective ring-opening polymerization of silylated 1,5-anhydro-β-D-xylofuranose, and its conversion into a blood anticoagulant, 69
Synthesis of "C–O–N" analogues of nucleosides, high-pressure approach to the, 244
Synthesis of 6-deoxy-6-fluorosucrose, and its inhibition of *Leuconostoc* and *Streptococcus* D-glucansucrases, 253
Synthesis of 2,3:4,6-di-*O*-isopropylidene derivatives of alkyl α- and β-D-galactopyranosides, and elucidation of structure by n.m.r. and X-ray analysis, 29
Synthesis of pseudo-sugar derivatives from 5*exo*, 6*exo*-dihydroxy-*endo*- and *exo*-7-oxabicyclo-[2.2.1]heptane-2-carboxylic acids, 213
Synthesis of seven penta-*N*,*O*-acetyl-pseudo-2-amino-2-deoxy-DL-hexopyranoses, 199
Synthesis of some novel group IVa organometallic derivatives of carbohydrates, 259

Talaromyces helicus, partial characterisation of galactofuranose-containing heteropolysaccharides from the cell walls of, 265
Thioglycoside-mediated formation of β-glycosidic linkages during oligosaccharide synthesis, alkyl sulfenyl triflate as activator in the, c13
Tin oxides and alkoxides, methanolysis of acetylated sugars and glycosides in the presence of, 21

Wheat germ agglutinin, binding to synthetic copolymers of *N*-acetylneuraminic acid, c1
Wistaria sinensis agglutinin, purification, carbohydrate specificity, and characterisation of the combining site of, 173

D-Xylofuranan by selective ring-opening polymerization of silylated 1,5-anhydro-β-D-xylofuranose, and its conversion into a blood anticoagulant, synthesis of branched, 69